














Product Catalog: Anzon New Material Technology (Jiangsu) Co., Ltd.

No.	Product Name	Model	Product Image	Technical Parameters
1	Aerogel Simple Fire Extinguisher	WMSJD500		<ul style="list-style-type: none"> - Fire Rating: 0.5A/8B/5F/E; - Operating Temp: -10°C to 55°C; - Insulation: ≤36kV; Volume: 500ml; - Discharge Distance: 2-4m; - Discharge Time: ≥18s; - Pressure: 0.90MPa; - Propellant: Compressed Air; - Shelf Life: 4 years.
2	Aerogel Throwable Fire Extinguishing Bottle	JSY600		<ul style="list-style-type: none"> - Fire Types: A/B/F/E; - Operating Temp: 0°C to 55°C; - Volume: 600ml; - Shelf Life: 5 years.
3	Aerogel Handheld Fire Extinguisher	MS 2L/3L/6L/9L		<ul style="list-style-type: none"> - Fire Types: A/B/E/F; - Standard: GB4351.1-2005; - Insulation: ≤36kV; - Operating Temp: -20°C to 60°C; - Propellant: Nitrogen; - Discharge Distance: 3-5m; - Volume: 2L/3L/6L/9L.
4	Aerogel Pipe Gallery Extinguishing System	AHGN(D) 4L/6L/8L		<ul style="list-style-type: none"> - Fire Types: A/B/E/F; - Standard: GA 602-2013; - Operating Temp: -10°C to 55°C; - Working Pressure: 1.4MPa; - Discharge Time: 2.9-5.2s; - Thermal Trigger: 68°C.
5	Smart Backpack Aerogel Firefighting Unit	AHDF15/2.0		<ul style="list-style-type: none"> - Fire Rating: 6A/297B; - Fire Types: A/B/E/F; - Flow: 12±0.5 L/min; - Battery: 5Ah/36V DC; - Discharge Distance: ≥15m; - Continuous Capacity: ≥150L.

Product Catalog: Anzon New Material Technology (Jiangsu) Co., Ltd.

No.	Product Name	Model	Product Image	Technical Parameters
6	AI Intelligent Tracking Fire Monitor	ZDMS0,6		<ul style="list-style-type: none"> - Jet Radius: 28-39m; - Monitoring Radius: 30-40m; - Protection Radius: 25-35m; - Targeting: ≤30s; - Rated Flow: 5-10 L/s; - Speed: 8°/s; - Detection: Dual IR/UV; - Operating Temp: 4°C to 55°C.
7	Multi-functional Aerogel Patrol Vehicle	TDT008Z		<ul style="list-style-type: none"> - Dimensions: 1560x660x1035mm; - Weight: 53.5kg; - Speed: 25km/h; - Range: 35km; - Motor: 400W Brushless; - Voltage: 48V; - Energy: 1.5kWh/100km.
8	MINI Aerogel Multi-functional Rescue Vehicle	/		<ul style="list-style-type: none"> - Compact design for narrow alleys/historic districts inaccessible to large trucks; - Cost-effective and mobile.
9	2T Aerogel Multi-functional Rescue Vehicle	/		<ul style="list-style-type: none"> - Liquid Capacity: 2 Tons (Aerogel & Water); - Integrated emergency equipment; - High-efficiency mobile firefighting.
10	Aerogel Multi-functional Rescue Pickup	/		<ul style="list-style-type: none"> - Features firefighting, emergency power, demolition, and sprinkling; - Superior off-road performance for urban and industrial rescue.

Product Catalog: Anzon New Material Technology (Jiangsu) Co., Ltd.

No.	Product Name	Model	Product Image	Technical Parameters
11	6T Aerogel Multi-functional Rescue Vehicle	/		<ul style="list-style-type: none"> - Performance: Extinguishes 60m diameter tank fire within 50s; - Lift Height: 28m; - Discharge Distance: 70m.
12	High-Elevation Firefighting Robot	/		<ul style="list-style-type: none"> - Specialized for high-rise hazards; - Obstacle clearance; - Lift Height: 14.7m; - Discharge Distance: 60m; - Remote control and night lighting.
13	Amphibious All-Terrain Fire Vehicle	/		<ul style="list-style-type: none"> - 8-wheel drive with pivot turning; - Navigates mud, snow, and forests; - Equipped with aerogel firefighting and drainage kits.